



Additional Problems for Homework 4

**Problem 1:** *Heuristic suboptimal solution for Boolean LP.* This exercise builds on exercises 4.15 and 5.13 in *Convex Optimization*, which involve the Boolean LP

$$\begin{aligned} & \text{minimize} && c^T x \\ & \text{subject to} && Ax \preceq b \\ & && x_i \in \{0, 1\}, \quad i = 1, \dots, n, \end{aligned}$$

with optimal value  $p^*$ . Let  $x^{\text{rlx}}$  be a solution of the LP relaxation

$$\begin{aligned} & \text{minimize} && c^T x \\ & \text{subject to} && Ax \preceq b \\ & && 0 \preceq x \preceq \mathbf{1}, \end{aligned}$$

so  $L = c^T x^{\text{rlx}}$  is a lower bound on  $p^*$ . The relaxed solution  $x^{\text{rlx}}$  can also be used to guess a Boolean point  $\hat{x}$ , by rounding its entries, based on a threshold  $t \in [0, 1]$ :

$$\hat{x}_i = \begin{cases} 1 & x_i^{\text{rlx}} \geq t \\ 0 & \text{otherwise,} \end{cases}$$

for  $i = 1, \dots, n$ . Evidently  $\hat{x}$  is Boolean (i.e., has entries in  $\{0, 1\}$ ). If it is feasible for the Boolean LP, i.e., if  $A\hat{x} \preceq b$ , then it can be considered a guess at a good, if not optimal, point for the Boolean LP. Its objective value,  $U = c^T \hat{x}$ , is an upper bound on  $p^*$ . If  $U$  and  $L$  are close, then  $\hat{x}$  is nearly optimal; specifically,  $\hat{x}$  cannot be more than  $(U - L)$ -suboptimal for the Boolean LP.

This rounding need not work; indeed, it can happen that for all threshold values,  $\hat{x}$  is infeasible. But for some problem instances, it can work well.

Of course, there are many variations on this simple scheme for (possibly) constructing a feasible, good point from  $x^{\text{rlx}}$ .

Finally, we get to the problem. Generate problem data using one of the following.

```
import numpy as np
np.random.seed(0)
(m, n) = (300, 100)
A = np.random.rand(m, n)
b = A@np.ones((n, 1))/2
c = -np.random.rand(n, 1)
```

You can think of  $x_i$  as a job we either accept or decline, and  $-c_i$  as the (positive) revenue we generate if we accept job  $i$ . We can think of  $Ax \preceq b$  as a set of limits on  $m$  resources.  $A_{ij}$ , which is positive, is the amount of resource  $i$  consumed if we accept job  $j$ ;  $b_i$ , which is positive, is the amount of resource  $i$  available.

Find a solution of the relaxed LP and examine its entries. Note the associated lower bound  $L$ . Carry out threshold rounding for (say) 100 values of  $t$ , uniformly spaced over  $[0, 1]$ . For each

value of  $t$ , note the objective value  $c^T \hat{x}$  and the maximum constraint violation  $\max_i (A\hat{x} - b)_i$ . Plot the objective value and the maximum violation versus  $t$ . Be sure to indicate on the plot the values of  $t$  for which  $\hat{x}$  is feasible, and those for which it is not.

Find a value of  $t$  for which  $\hat{x}$  is feasible, and gives minimum objective value, and note the associated upper bound  $U$ . Give the gap  $U - L$  between the upper bound on  $p^*$  and the lower bound on  $p^*$ .